

Technical drawing of a rectangular frame with dimensions:

- Overall width: 47 in
- Overall height: 21 1/2 in
- Inner width: 21 3/4 in
- Inner height: 20 5/8 in
- Left side panel width: 10 5/8 in
- Right side panel width: 10 5/8 in

Technical drawing of a rectangular plate with dimensions and a diagonal line. The plate is divided into four quadrants by a horizontal and a vertical centerline. The dimensions are as follows:

- Top-left quadrant: 5 in (width) by 10 13/16 in (height).
- Top-right quadrant: 10 13/16 in (width) by 19 5/8 in (height).
- Bottom-left quadrant: 5 in (width) by 19 5/8 in (height).
- Bottom-right quadrant: 10 13/16 in (width) by 19 5/8 in (height).

A diagonal line is drawn from the top-left corner to the bottom-right corner. The dimensions are labeled as follows:

- 5 in (width of the left half)
- 10 13/16 in (width of the right half)
- 19 5/8 in (height of the bottom half)
- 10 13/16 in (height of the top half)

Diagram illustrating the dimensions for the window unit:

- Top left vertical dimension: $6 \frac{1}{2}$ in
- Top left horizontal dimension: $5 \frac{1}{8}$ in
- Top right horizontal dimension: $2 \frac{1}{2}$ in
- Right side vertical dimension: $21 \frac{1}{4}$ in
- Bottom left vertical dimension: $13 \frac{1}{8}$ in
- Bottom left horizontal dimension: $16 \frac{11}{16}$ in
- Bottom right horizontal dimension: $10 \frac{3}{4}$ in
- Bottom right vertical dimension: $5 \frac{13}{16}$ in
- Bottom right horizontal dimension: $3 \frac{3}{16}$ in

Secure Support Strip to Studs →

Technical drawing of a rectangular frame. The drawing shows a top view and a side view. The top view is a rectangle divided into three vertical sections by two vertical lines. The side view is a rectangle divided into three horizontal sections by two horizontal lines. There are four circular mounting holes, one in each corner of the top view. The dimensions are indicated as follows: the width of the frame is 4 in, the height of the frame is 4 in, and the distance between the vertical lines is 4 in. The distance between the horizontal lines is 4 in. The drawing is labeled with '4 in' and '4 in' at the top corners, and '4 in' at the bottom center.

← Secure vanity to studs within 4" from side gables.

←Secure Support Strip to Studs

TEODOR

1-888-807-2323 | info@teodorvanities.com